


# ESTRATTORI DA MURO

CV / KV 315 B/C ErP


**ÖSTBERG**  
HEALTHY INDOOR CLIMATE  
WITH ENERGY EFFICIENT VENTILATION



## DATI TECNICI

| MOD.            | V/Hz      | A    | W   | rpm  | kg  | µF | CLASSE ISOLA.<br>motore | PROTEZ.<br>motore | COD            | €             |
|-----------------|-----------|------|-----|------|-----|----|-------------------------|-------------------|----------------|---------------|
| CV/KV 315 B     | 230/50-60 | 0,84 | 190 | 2465 | 5,5 | 5  | F                       | IP 44             | <b>0411927</b> | <b>294,00</b> |
| CV/KV 315 C ERP | 230/50-60 | 0,97 | 222 | 2770 | 5,2 | 6  | F                       | IP 44             | <b>0411928</b> | <b>367,50</b> |


## PRESSIONE/FLUSSO



## DATI ACUSTICI

| CV/KV 315 B, 220 l/s 300 Pa     | L <sub>pA</sub> | L <sub>WA</sub> tot dB (A) | 63 | 125 | 250 | 500 | 1K | 2K | 4K | 8K |
|---------------------------------|-----------------|----------------------------|----|-----|-----|-----|----|----|----|----|
| AMBIENTE                        | 47              | 54                         | 28 | 35  | 43  | 48  | 49 | 50 | 45 | 41 |
| INGRESSO                        |                 | 74                         | 54 | 56  | 61  | 65  | 65 | 70 | 67 | 65 |
| CV/KV 315 C ErP, 180 L/S 425 PA | L <sub>pA</sub> | L <sub>WA</sub> tot dB (A) | 63 | 125 | 250 | 500 | 1K | 2K | 4K | 8K |
| AMBIENTE                        | 48              | 55                         | 26 | 44  | 46  | 47  | 46 | 49 | 49 | 38 |
| INGRESSO                        |                 | 74                         | 52 | 58  | 63  | 61  | 66 | 68 | 68 | 65 |

## POTENZA/FLUSSO



## DESCRIZIONE:

Ventilatori da parete per tubi a sezione circolare, con o senza piastra quadrata.

T MAX aria trasportata in gradi centigradi = 50.